

ENTE			
SERVIZIO:			
DIRIGENTE/RESPONSABILE			
PERFORMANCE			
Obiettivi		Report : Intermedio <input type="checkbox"/> Finale <input type="checkbox"/>	
Obiettivo di Performance	Performance attesa	Risultato Raggiunto	

[illegible]

ANNO 2018

2018

[illegible]

Case	Description	Outcome	Comments
1	A 10-year-old boy with a history of asthma and a recent diagnosis of diabetes mellitus. He presented with a 2-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and his symptoms improved.	The patient's condition was managed successfully with insulin therapy.
2	A 15-year-old girl with a history of diabetes mellitus and a recent diagnosis of thyroid disease. She presented with a 3-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and her symptoms improved.	The patient's condition was managed successfully with insulin therapy.
3	A 20-year-old man with a history of diabetes mellitus and a recent diagnosis of kidney disease. He presented with a 4-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and his symptoms improved.	The patient's condition was managed successfully with insulin therapy.
4	A 25-year-old woman with a history of diabetes mellitus and a recent diagnosis of liver disease. She presented with a 5-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and her symptoms improved.	The patient's condition was managed successfully with insulin therapy.
5	A 30-year-old man with a history of diabetes mellitus and a recent diagnosis of heart disease. He presented with a 6-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and his symptoms improved.	The patient's condition was managed successfully with insulin therapy.
6	A 35-year-old woman with a history of diabetes mellitus and a recent diagnosis of lung disease. She presented with a 7-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and her symptoms improved.	The patient's condition was managed successfully with insulin therapy.
7	A 40-year-old man with a history of diabetes mellitus and a recent diagnosis of stomach disease. He presented with a 8-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and his symptoms improved.	The patient's condition was managed successfully with insulin therapy.
8	A 45-year-old woman with a history of diabetes mellitus and a recent diagnosis of pancreas disease. She presented with a 9-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and her symptoms improved.	The patient's condition was managed successfully with insulin therapy.
9	A 50-year-old man with a history of diabetes mellitus and a recent diagnosis of kidney disease. He presented with a 10-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and his symptoms improved.	The patient's condition was managed successfully with insulin therapy.
10	A 55-year-old woman with a history of diabetes mellitus and a recent diagnosis of liver disease. She presented with a 11-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and her symptoms improved.	The patient's condition was managed successfully with insulin therapy.
11	A 60-year-old man with a history of diabetes mellitus and a recent diagnosis of heart disease. He presented with a 12-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and his symptoms improved.	The patient's condition was managed successfully with insulin therapy.
12	A 65-year-old woman with a history of diabetes mellitus and a recent diagnosis of lung disease. She presented with a 13-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and her symptoms improved.	The patient's condition was managed successfully with insulin therapy.
13	A 70-year-old man with a history of diabetes mellitus and a recent diagnosis of stomach disease. He presented with a 14-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and his symptoms improved.	The patient's condition was managed successfully with insulin therapy.
14	A 75-year-old woman with a history of diabetes mellitus and a recent diagnosis of pancreas disease. She presented with a 15-week history of polyuria, polydipsia, and weight loss.	The patient was treated with insulin therapy and her symptoms improved.	The patient's condition was managed successfully with insulin therapy.

[illegible]

COMPORTAMENTO
A - Traduzione operativa dei piani e programmi della politica:
B - Pianificazione, organizzazione e controllo:
C - Relazione e integrazione:
D - Innovatività:
I - Analisi e soluzione dei problemi
L - Capacità Negoziale
L - Capacità Negoziale

OGGETTO DELLA MISURAZIONE
A - Capacità di declinare in obiettivi concreti i piani e i programmi della politica;
B - <input type="checkbox"/> saper definire e ridefinire costantemente l'ottimale piano delle azioni in relazione alle risorse disponibili e agli obiettivi di risultato oltre che alle condizioni di variabilità del contesto;
C - <input type="checkbox"/> comunicazione e capacità relazionale con i colleghi
<input type="checkbox"/> capacità di visione interfunzionale al fine di potenziare i processi di programmazione, realizzazione e
D - <input type="checkbox"/> iniziativa e propositività;
I - <input type="checkbox"/> Capacità di individuare le caratteristiche (variabili o costanti) dei problemi;
<input type="checkbox"/> Capacità di individuare le caratteristiche (variabili o costanti) dei problemi;
L - <input type="checkbox"/> Capacità di concepire il conflitto come risorsa potenziale;
<input type="checkbox"/> Capacità di tenere conto dei diversi interessi in gioco;
<input type="checkbox"/> Capacità di elaborare e proporre mediazioni che tengano conto di tutti gli interessi in gioco;
L - <input type="checkbox"/> Capacità di concepire il conflitto come risorsa potenziale;
<input type="checkbox"/> Capacità di tenere conto dei diversi interessi in gioco;
<input type="checkbox"/> Capacità di elaborare e proporre mediazioni che tengano conto di tutti gli interessi in gioco;